
Wiring kit for triple fuel pumps, 30-Amp, battery connection

Part # 155-01-103

Assembly Instructions | © Nuke Performance AB 2025

For more information visit: www.nukeperformance.com

- **1** Bosch 0332019157 12V40A relay Part # 155-02-101
- 2 Relay holder
- **3** Fuse holders equipped with 30A MIDI fuse Fuse Part # 155-02-105
- 4 M10 ring terminal connector, preassembled
- **5** M6 ring terminal connector
- 6 Red wire, specifications shown in the diagram
- 7 Black wire, specifications shown in the diagram
- 8 Yellow wire, specifications shown in the diagram
- **9** Blue wire, specifications shown in the diagram
- **X** Do not cut wires between battery and fuse, fuse needs to be located as close to battery as intended



Nuke Performance Wiring kit for tripple fuel pump, 30-Amp specifications

For more information about specifications, visit our product page on our website. Nuke Performance : www.nukeperformance.com

Number of fuel pumps	Triple fuel pump use	Connection	Battery connection
Fuses used	30A MIDI fuse (included)	Braiding	YES, nylon braiding
Relays used	Bosch 0 332 019 157 (included)	CFC Unit compatibility	YES, for triple fuel pump installation *
Total laweth	E0E0mm (47.0Eft)	For motoronouto uso	VEC

^{*} To be used as wiring kit for lift pump and dual setup of high pressure fuel pumps. Wiring kits for single or dual fuel pump installations is available.

Relay socket wire	Description	Connection	Wire specification
Black wire (85) *	Ground to relay	Chassis (GND)	UL1015 10AWG / 6mm ²
Yellow wire (87)	Power to pump	Fuel pump (+) lead	UL1015 10AWG / 6mm ²
Blue wire (86)	Switch to relay	Harness (+) lead	UL1015 14AWG / 2.5mm ²
Red wire (30)	Power from battery	Battery terminal (+)	UL1015 10AWG / 6mm ²

^{*} The tripple pump wiring kit includes a fourth black ground wire for the fuel pump (-) ground (Chassis / GND).

